

texture mapping with hard constraints

Terms used: **texture mapping with hard constraints**

Found 1,083 of 239,274

Sort results by relevance
☒ [Save results to a Binder](#)

Refine these results with [Advanced Search](#)

Display results expanded form
☐ [Open results in a new window](#)

Try this search in [The ACM Guide](#)

Results 1 - 20 of 1,083

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#) [>>](#)

Ads by [Google](#)
[Download PDF Converter](#)

Convert Document &amp; Image formats into PDF. Fast Download Guaranteed! PDFConverter.PDF-forma


[Decision Support Software](#)



Demo/Purchase RightChoiceDSS for modeling critical decisions. [www.tgkconsulting.com](http://www.tgkconsulting.com)
[Training Simulations](#)

Real-World Devices Recreated Virtually [www.AmericanRI.com](http://www.AmericanRI.com)
[Leading DSS & Analytic](#)

Consulting for Health Plans. Download a Free Information Guide! [www.Medstat.com/Decisio](http://www.Medstat.com/Decisio)

### 1 [Feature matching and deformation for texture synthesis](#)

 Qing Wu, Yizhou Yu  
August 2004 **SIGGRAPH '04**: ACM SIGGRAPH 2004 Papers  
**Publisher**: ACM

Full text available:  [pdf\(448.53 KB\)](#)  [mov\(18:47 MIN\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

One significant problem in patch-based texture synthesis is the presence of broken features at the boundary of adjacent patches. The reason is that optimization schemes for patch merging may fail when neighborhood search cannot find satisfactory candidates ...

**Keywords**: Distance Transforms, Image Registration, Oriented Features, Texture Warping


### 2 [Hardware accelerated per-pixel displacement mapping](#)

Johannes Hirche, Alexander Ehlert, Stefan Guthe, Michael Doggett  
May 2004 **GI '04**: Proceedings of Graphics Interface 2004  
**Publisher**: Canadian Human-Computer Communications Society

Full text available:  [pdf\(308.64 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#)

In this paper we present an algorithm capable of rendering a displacement mapped triangle mesh interactively on latest GPUs. The algorithm uses only pixel shaders and does not rely on adaptively adding geometry. All sampling of the displacement map takes ...

### 3 [Level-of-detail volume rendering via 3D textures](#)

 Manfred Weiler, Rüdiger Westermann, Chuck Hansen, Kurt Zimmermann, Thomas Ertl  
October 2000 **VVS '00**: Proceedings of the 2000 IEEE symposium on Volume visualization  
**Publisher**: ACM

Full text available:  [pdf\(1.04 MB\)](#) Additional Information: [full citation](#), [references](#), [cited by](#), [index terms](#)

### 4 [Efficient editing of aged object textures](#)

Olivier Clément, Jocelyn Benoit, Eric Paquette  
October 2007 **AFRIGRAPH '07**: Proceedings of the 5th international conference

Google

Texture Mapping with Hard Constraints

Search

Advanced Search  
Preferences

Web

Results 1 - 10 of about 516,000 for **Texture Mapping with Hard Constraints**. (0.26 seconds)**[PDF] Texture Mapping with Hard Constraints**File Format: PDF/Adobe Acrobat - [View as HTML](#)Figure 1: **Texture mapping with hard constraints**. (a) **Texture map** with feature points marked. These should be mapped. to the appropriate geometric features ...[www.cs.technion.ac.il/~gotsman/AmendedPub/TextureMapping/TextureMapping.pdf](http://www.cs.technion.ac.il/~gotsman/AmendedPub/TextureMapping/TextureMapping.pdf) -[Similar pages](#)**Welcome to IEEE Xplore 2.0: Texture Mapping with Hard Constraints ...**Then we apply this warping algorithm to handle **mapping texture** onto 3D meshes with **hard constraints**. The proposed algorithm is experimentally evaluated and ...[www.ieeexplore.ieee.org/xpls/abs\\_all.jsp?isnumber=4435108&](http://www.ieeexplore.ieee.org/xpls/abs_all.jsp?isnumber=4435108&arnumber=4359965&count=26&index=13)[arnumber=4359965&count=26&index=13](http://www.ieeexplore.ieee.org/xpls/abs_all.jsp?isnumber=4435108&arnumber=4359965&count=26&index=13) - [Similar pages](#)**Texture Mapping with Hard Constraints Using Warping Scheme**positional **constraints**. 2. We extend this new warping algorithm to handle. **texture mapping with hard constraints**. In contrast to ...[ieeexplore.ieee.org/xpls/abs\\_all.jsp?isnumber=4435108&](http://ieeexplore.ieee.org/xpls/abs_all.jsp?isnumber=4435108&arnumber=4359965)[arnumber=4359965](http://ieeexplore.ieee.org/xpls/abs_all.jsp?isnumber=4435108&arnumber=4359965) - [Similar pages](#)**IngentaConnect Texture Mapping with Hard Constraints****Texture Mapping with Hard Constraints**. Authors: Eckstein I.1; Surazhsky V.1; Gotsman

C.1. Source: Computer Graphics Forum, Volume 20, Number 3, ...

[www.ingentaconnect.com/content/bpl/cgf/2001/00000020/00000003/art00502](http://www.ingentaconnect.com/content/bpl/cgf/2001/00000020/00000003/art00502) -[Similar pages](#)**Personal Network Search**Pages: 1. Reference: Ilya Eckstein, Vitaly Surazhsky, Craig Gotsman. **Texture Mapping****with Hard Constraints**. Comput. Graph. Forum, 2001: 0-0 ...[www.arnetminer.org:8080/viewpub.jsp?pid=120822](http://www.arnetminer.org:8080/viewpub.jsp?pid=120822) - 10k - [Cached](#) - [Similar pages](#)**Texture Mapping with Hard Constraints Using Warping Scheme****Texture mapping** with positional **constraints** is an important and challenging problem in computer graphics. In this paper, we first present a theoretically ...[doi.ieeecomputersociety.org/10.1109/TVCG.2007.70432](http://doi.ieeecomputersociety.org/10.1109/TVCG.2007.70432) - [Similar pages](#)

0;€€!¥€\$€€! ! # " €\$ %&amp; ( ' ) 103254!&amp;76 8€9;\$ @ AB\$ £#%DCD6 0

( ' ) 103254!&amp;76 8€9;\$ @ AB\$ £#%DCD6 0. E F G H I€P Q R S Q R R T UWVYX`H I€a P

(b#c. d \$ e 074 fg !8Dh f i(2545p. qsr t(u1v w7x y3€3x ,7t(f „5... ...

[www.blackwell-synergy.com/doi/abs/10.1111/1467-8659.00502](http://www.blackwell-synergy.com/doi/abs/10.1111/1467-8659.00502) - [Similar pages](#)**Computers & Graphics : A novel constrained texture mapping method ...**[8] L. Ecksteinl, V. Surazhsky and C. Gotsman, **Texture mapping with hard constraints**,

Computer Graphics Forum 20 (2001) (3), pp. 95–104. ...

[linkinghub.elsevier.com/retrieve/pii/S0097849305001676](http://linkinghub.elsevier.com/retrieve/pii/S0097849305001676) - [Similar pages](#)**Foundations and Trends in Computer Graphics and Vision**6.1 Soft **constraints** [4]. **Mapping** the tiger **texture** (a) onto the face in (b) ... 98] require **hard constraints** to achieve perfect alignment of the **texture** ...[www.nowpublishers.com/product.aspx?product=CGV&doi=0600000011&section=x1-48r6](http://www.nowpublishers.com/product.aspx?product=CGV&doi=0600000011&section=x1-48r6) -[Similar pages](#)**Hugues Hoppe's home page**[ atlases in silhouette clipping, **texture mapping** progressive meshes, signal-specialized .....]Our method robustly satisfies **hard constraints** if desired. ...[research.microsoft.com/~hoppe/](http://research.microsoft.com/~hoppe/) - 133k - [Cached](#) - [Similar pages](#)

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S20	2	"20060074921"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 16:12
S21	22	mix\$3 same (video near4 image) same (synthetic near4 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 19:16
S22	2	S21 and @rlad <= "20020724"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 19:17
S23	1	((VALENTIN) near2 (LEFEVRE)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/20 19:23
S24	9	((VALENTIN) near2 (LEFEVRE)).INV.	EPO; JPO; DERWENT	OR	ON	2008/02/20 19:23
S25	2	hdm same virtual same augmented same video	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:07
S26	2	hdm same virtual same augment\$3 same video	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:26
S27	0	hdm same virtual same augment\$3 same (guid\$2 near system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:26

## EAST Search History

S28	0	hdm same virtual same augment\$3 same guid\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:27
S29	0	hdm same virtual same augment\$3 same guide	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:27
S30	2	hdm same virtual same augment\$3 and (guid\$2 near system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:27
S31	0	hdm same virtual same augmented and (video near3 buffer) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:54
S32	1643	virtual same video and (video near3 buffer) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:55
S33	231	virtual same (video near3 image) and (video near3 buffer) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:55
S34	99	virtual same (video near3 image) and (video near3 buffer) and memory same graphic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:56

## EAST Search History

S35	47	virtual same (video near3 image) and (video near3 buffer) and (graphic near3 memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:57
S36	5	S35 and @prad <= "20020724"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:57
S37	44	ginsberg and maxwell	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:11
S38	28	S37 and @rlad <= "20020724"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:11
S39	2374	track\$3 same live same action	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:14
S40	11	S39 and kinematic and animation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:15
S41	55	S39 and (graphic\$2 same video same memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:24

## EAST Search History

S42	24	S41 and @rlad <= "20020724"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:24
S43	0	S39 and (graphic\$2 near3 memory) same (video near3 memory) same mix\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:35
S44	44	track\$3 same live same action and (edit\$3 same video same image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:44
S45	9	S44 and @rlad <= "20020724"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:44
S46	47	(graphic\$2 near3 memory) same (video near3 memory) same mix\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:50
S47	163	(graphic\$2 near3 memory) same (video near3 memory) same (mix\$3 or blend\$3 or add\$3 or edit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:51
S48	0	S47 and track\$3 same live	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:52

## EAST Search History

S49	61	S47 and track\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:52
S50	33	S49 and @rlad <= "20020724"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:52
S51	2	("20050206583").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 13:08
S52	0	("5,241,391t").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 14:35
S53	2	("5,241,391").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 14:35